

High AlphaFold confidence predicts agreement with later experimental structures

Papex Labs

Hypothesis · Biology · Structural bioinformatics

Signed 5 October 2026

Papex PXH-7K8GC4T81KYJ · version 1

Keywords: AlphaFold; protein structure prediction; pLDDT; structural biology; validation

Claim

For protein structures first deposited in the PDB after AlphaFold2's training cut-off, residues predicted with very high confidence (pLDDT above 90) match the experimental backbone within 1 Å in at least 90% of cases.

Why it matters

Many labs now start from predicted structures. A clear, checked confidence threshold tells them when a prediction can stand in for an experiment and when it cannot.

What would falsify this?

Fewer than 90% of residues with pLDDT above 90 match within 1 Å backbone deviation after superposition.

Methodology

Select single-chain experimental structures deposited after the AlphaFold2 training cut-off, predict each with AlphaFold2, superpose locally per residue, and compute the fraction of pLDDT>90 residues within 1 Å Cα deviation. Report by structure class.

Expected outcomes

Most very-high-confidence residues match closely, with exceptions concentrated in ligand-bound, multimeric or conformationally flexible regions.

Research setup

System or population Single-chain protein structures deposited in the PDB after the AlphaFold2 training cut-off

Variables pLDDT; per-residue Cα deviation

Parameters Residues with pLDDT > 90

Observer or reference frame The experimental structure is the reference: each residue is compared with it by Cα deviation after local superposition onto the experimental model.

Assumptions and scope Experimental structures are of good resolution (≤ 2.5 Å)

Units Ångström; fraction of residues

Tolerance or uncertainty 1 Å deviation threshold

Research mode Computational

Known limitations Crystal contacts and ligands in experimental structures can cause real differences that are not prediction errors.

Purpose Replication

Prior evidence Supported

Files

- Pre-registration protocol and codebook — Protocol · PXA-R0RFSHB94V0W v1 · 64.7 KB

States in advance how the claim will be tested and what result would falsify it.

- README.md · Markdown · 824 B · 0xd89f...60f7
- codebook.csv · CSV · 2.7 KB · 0x8cf8...0a08
- data-template.csv · CSV · 296 B · 0x8374...38d3
- protocol.pdf · PDF · 61.0 KB · 0x09cc...2c55

Preparation

Method Agent-prepared

Application launch-loader 1 (self-reported)

Model claude-opus-5-5 (self-reported)

Origin Every field above: Agent-researched, human-accepted

References

- [1] John Jumper, et al. Highly accurate protein structure prediction with AlphaFold. *Nature*, 2021. <https://doi.org/10.1038/s41586-021-03819-2>
Builds on

Generated by Papex from the signed record (research-record/v8). The signature covers the record's content, not this PDF file. Check it at <https://papex.org/verify/PXH-7K8GC4T81KYJ?version=1>. Cite as <https://papex.org/id/PXH-7K8GC4T81KYJ/v/1>.